

Effetto

Ernesto Gismondi




ERNESTO GISMONDI

The father of Artemide, Ernesto Gismondi propelled his involvement in the Memphis Design movement into profoundly revolutionizing the field of lighting design in both Italy and the world. Born on Christmas Day, Gismondi began his career as an Aeronautical Engineer. Bringing industrial concepts, materials and finishes into lighting designs for both domestic and public space underlines Gismondi's adherence to meaningful innovation. Recognizing his international contributions to the field of lighting manufacture, he was awarded a Compasso d'Oro lifetime achievement award in 1995.

SCENOGRAPHY

Defined by the fixture's name (Effetto means "Effect" in Italian), Effetto tells a powerful scenographic story. Used in a modular configuration, the wall mounted luminaire with single, double or four light beams is designed to create architectural effects using two beam options of narrow and large. Available in square and round. Available in grey white or anthracite grey.













TECHNOLOGY

Effetto is available with 1, 2 or 4 light beams, using monochromatic LED light sources. Light-diffusing lenses optimize the optical performance of the beams and establish their width, ranging from narrow to large.



Effetto Round Wall





	1 NARROW BEAM	1 LARGE BEAM	2 NARROW BEAMS	2 LARGE BEAMS
MATERIALS	Round body in aluminum. Electronic driver integrated.	Round body in aluminum. Electronic driver integrated.	Round body in aluminum. Electronic driver integrated.	Round body in aluminum. Electronic driver integrated.
DIFFUSION	Unilateral	Unilateral	Bilateral	Bilateral
LIGHT SOURCE	LED Integrated 4.6W 3000K >80 CRI	LED Integrated 4.6W 3000K >80 CRI	LED Integrated 7W 3000K >80 CRI	LED Integrated 7W 3000K >80 CRI
DIMMING FEATURES	On/Off	On/Off	On/Off	On/Off
FINISH	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey
CERTIFICATIONS	c.UL.us listed	c.UL.us listed	c.UL.us listed	c.UL.us listed



Technical Data

Effetto Round Wall



Technical Data



1 NARROW + 1 LARGE BEAM









4 NARROW BEAMS



4 LARGE BEAMS

MATERIALS	Round body in aluminum. Electronic driver integrated.	Round body in aluminum. Electronic driver integrated.	Round body in aluminum. Electronic driver integrated.
DIFFUSION	Bilateral	Quadrilateral	Quadrilateral
LIGHT SOURCE	LED Integrated 7W 3000K >80 CRI	LED Integrated 11W 3000K >80 CRI	LED Integrated 11W 3000K >80 CRI
DIMMING FEATURES	On/Off	On/Off	On/Off
FINISH	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey
CERTIFICATIONS	c.UL.us listed	c.UL.us listed	c.UL.us listed

Effetto Square Wall









	1 NARROW BEAM	1 LARGE BEAM	2 NARROW BEAMS	2 LARGE BEAMS
MATERIALS	Square body in aluminum. Electronic driver integrated.	Square body in aluminum. Electronic driver integrated.	Square body in aluminum. Electronic driver integrated.	Square body in aluminum. Electronic driver integrated.
DIFFUSION	Unilateral	Unilateral	Bilateral	Bilateral
LIGHT SOURCE	LED Integrated 4.6W 3000K >80 CRI	LED Integrated 4.6W 3000K >80 CRI	LED Integrated 7W 3000K >80 CRI	LED Integrated 7W 3000K >80 CRI
DIMMING FEATURES	On/Off	On/Off	On/Off	On/Off
FINISH	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey	○ White RAL9002 ● Anthracite Grey
CERTIFICATIONS	c.UL.us listed	c.UL.us listed	c.UL.us listed	c.UL.us listed

Technical Data

Effetto Square Wall

Technical Data




1 NARROW + 1 LARGE BEAM

4 NARROW BEAMS

4 LARGE BEAMS

MATERIALS	Square body in aluminum. Electronic driver integrated.	Square body in aluminum. Electronic driver integrated.	Square body in aluminum. Electronic driver integrated.
DIFFUSION	Bilateral	Quadrilateral	Quadrilateral
LIGHT SOURCE	LED Integrated 7W 3000K >80 CRI	LED Integrated 11W 3000K >80 CRI	LED Integrated 11W 3000K >80 CRI
DIMMING FEATURES	Standard non dimmable	Standard non dimmable	Standard non dimmable
FINISH	☐ White RAL9002 ☒ Anthracite Grey	☐ White RAL9002 ☒ Anthracite Grey	☐ White RAL9002 ☒ Anthracite Grey
CERTIFICATIONS	c.UL.us listed	c.UL.us listed	c.UL.us listed



**LE PILORI,
ECAUSSINNES, BELGIUM**

Project: Artemide Brussels
Photo : Emmanuel Bosteels



**MARRIOTT MARQUIS HOTEL,
CHICAGO, USA**

Project: Gensler
Photo : Isaac Maiselman



UNITED STATES HEADQUARTERS

Artemide Inc.

250 Karin Lane

Hicksville, NY 11801

T. 631-694-9292

Toll Free 1-877-Art-9111

email: infousa@artemide.net

CANADIAN HEAD OFFICE

Artemide Canada Ltd.

11105, rue Renaude Lapointe

Montréal, QC H1J 2T4

T. 514-323-6537

Toll Free 1-888-777-2783

email: infocanada@artemide.net

Artemide®

For retail sales contact information, please visit

www.artemide.net/store-locator

For contract sales contact information, please visit

www.artemide.net/sales-representative